



Betex



**Fungus
Resistant**

Everlux

High Gloss Finish



HIGH GLOSS FINISH

- Durable
- Anti-fungus
- Easy To Apply
- Good Hiding Power
- Excellent Gloss & Colour Retention
- High Coverage Capacity



9809 Snow White
BS 10B15



9707 Lily White



9754 Apple White



9816 Misty Grey
BS 00A01



9819 Flight



9822 Lily
BS 08C31



9810 Barley



9823 Shadow



★9863 Sunrise Yellow



9849 Rosy Pink



9830 Off White



9805 Mercury
BS 00A05



★9802 Canary
BS 08E51



★9727 Honey



9783 Copper Teak



9806 Pearl Grey



★9853 Carrot



9854 Bright Brown



9842 Suede




9825 Deep Grey



★9804 Signal Red



9781 Toffee
BS 06C39



9844 Dark Choc




Also available in 9851 Black (BS 00E53), 9852 White (BS 00E55) and Aluminium.

All colours shown are as close to the actual Everlux Paint Colours as modern printing techniques permit

Betex

HIGH GLOSS FINISH



★ 9861 Celebration



9801 Blue Heaven



9858 Marina



★ 9862 Prelude Blue



9850 Secret Cove



★ 9841 Grass Green



★ 9808 Sapphire Blue



★ 9848 Emerald



9828 Evergreen
BS 14C39



★ 9829 Persian Blue
BS 20D45

Contemporary
Matt



9867 Matt White



9845 Matt Black

UnderCoat & Primers



9800 Undercoat White



9811 Zinc Chromate
Primer



9833 Red Lead
Primer



9855 Red Oxide
Primer

★ Premium Colour

Qc Print 07/08

Patina Finish



2 Turquoise Green



3 Cedric Silver



4 Evergreen



5 Shine Gold



6 Caspian Blue



7 Gothic Copper


Hammertone Enamel



002 Light Green



004 Light Blue



006 Silver



012 Dark Blue

Etching Primer



A-26 Gentle Yellow




A-20 Dark Green



A-22 White



A-29 Black



A-23 Silver Tinsel



Patina Finish

Metex Patina Finish is a solvent-based paint specially formulated as a topcoat for the creation of the patina effects like antique appearance, golden lining, silvery ragging etc on wrought iron, steel and various metallic surfaces. It has a significantly slower drying time to allow more time for your own desired creations. Available in 6 colours.

Packing : 250ml



Gloss Finish 31

Gloss Finish 31 is a premium clear coat suitable for all type of metallic surfaces. Formulated to provide an excellent gloss retention and a long lasting protection on painted surfaces. Suitable for both interior and exterior use.

Packing : 1 litre and 5 litre



Etching Primer

Etching Primer is a long exposure type "wash primer" based on Vinyl Butyral Resin providing the necessary etching to enhance adhesion for subsequent coatings. It is suitable for aluminium, iron, steel and various metallic / galvanised surfaces. Available in 5 colours.

Packing : 4 kg set



Gold Paint 58

Metex Gold Paint 58 is a high quality acrylic gold paint which gives a rich gold finish when used as a decorative coating. It is highly durable with good hiding power and can be used on most surfaces.

Packing : 125ml, 250ml and 750ml



Aluminium Paint

Aluminium Paint is an air-drying type modified alkyd resin based paint designed to protect and decorate all metal and wood substrates. It is easy to apply, has good brushing properties and produces a lustrous finish.

Packing : 250ml, 1 litre and 5 litre



Nitrocellulose (NC)/ Acid Catalyzed (AC)/ Polyurethane (PU) Sealer & Lacquer

A wide variety of wood coatings ranging from nitrocellulose, acid catalyzed to polyurethane based sealer and lacquer topcoats. Suitable for all interior & sheltered exterior wood furnitures, fences, doors etc. Available in Gloss, Satin and Matt finishes.

Packing : 1 litre, 5 litre and 20 litre



Melamine Coating 185

Melamine Coating 185 is a two-packed alkyd-melamine based acid curing high build finish specially formulated for wooden parquet floorings. It is tough and highly resistant to scratch and water with excellent durability and chemical resistance. Available in Gloss and Matt finishes.

Packing : 5 litre set



Polyurethane No. 60

Polyurethane No. 60 is a single packed transparent varnish formulated to provide a durable finish on all types of new or previously painted interior wood, concrete and stone surfaces. Available in Gloss and Matt Finishes.

Packing : 1 litre and 5 litre



Plastic Wood

Plastic Wood is a ready mixed, quick drying wood patching compound used to repair cracks, gaps, nail holes and other irregularities. Available in Natural and Teak colour.

Packing : ½ kg

Nitrocellulose Putty Grey 22

Nitrocellulose Putty Grey 22 is a ready mixed hard putty designed to fill shallow indentations for all new and finishing paint systems. It is quick drying, possesses good sanding properties and has minimum shrinkage. Widely used in all wood work, metal work and automotive industries.

Packing : ½ kg and 3 kg

Paint Remover

Paint Remover is specially formulated to remove epoxy coatings, decorative paints, polythene enamel, emulsion and microporous paints.

Packing : 450g, 900g and 4 kg

Water-Based Alkali Resisting Wall Primer Sealer 856 (For Interior & Exterior)

Water-Based Alkali Resisting Wall Primer Sealer 856 is a superior quality primer sealer formulated for both interior and exterior usages. It provides good adhesion to various concrete surfaces, possesses excellent alkali, moisture and water resistance. It has good fungus and algae resistance and is quick drying. It is suitable for use on all cement-based materials, timbers, plasterboards, brickworks, stoneworks and even glossy surfaces.

Packing : 5 litre and 20 litre

Everlux is a superior quality high gloss finish designed for suitably primed wood, metal and masonry surfaces. It possesses good hiding power, is easy to apply and has anti-fungus properties.

Everlux has excellent gloss and colour retention as well as high coverage capacity. Formulated specially to provide outstanding durability which is highly suitable for interior and exterior use.

Technical Specifications

Colour	: As per Colour card. Special colours available on request.
Thinning Ratio	: 5 - 10% of Brightex Thinner
No. of Coats	: 2 (Recommended)
Drying Time	: Touch Dry Approximately 2 hours Hard Dry Approximately 8 hours
Coverage	: 12-14 metre square per litre (Theoretical)
Packing	: 1 litre and 5 litre

Direction For Use

- Ensure surface to be painted must be clean, dry, free from grease, oil, rust and foreign matters.
- Supplied is ready for use. When necessary, dilute with 5 - 10% of Brightex Thinner for good brushability.
- Apply with brush, roller or air spray.

*Always stir thoroughly before commencement of painting.



METAL & WOOD



INTERIOR



EXTERIOR



BRUSH ON



ROLL ON



SPRAY ON



RECOAT / 6 HOUR



COLOUR MATCHING



Betex

BETEX CHEMICALS (SINGAPORE) PTE LTD

Website : <http://www.betex.com.sg>